

2.5" SPINNER - TRU TURN  
STANDARD OR FAI

BATTERY


16 OZ. FUEL TANK

RX

RUDDER SERVO

ELEVATOR SERVO

AIR INTAKE





ELONGATE THIS HOLE

FIBERGLASS ARROW SHAFT

1/4-20 NYLON WING BOLT  
4 REQ'D

EXHAUST HOLE




1/2 BIRCH DOWEL (4 REQ'D)  
CENTER DRILL FOR 1/4-20 BOLT

1/8 PLY DOUBLER

1/8 PLY DIHEDRAL BRACE

LANDING GEAR LOCATION FOR TAIL DRAGGER

TUNNEL FOR SERVO WIRE



L.G. LOCATION FOR TRI-GEAR

1/4 Balsa FRAMING

1/16 Balsa END CAPS

BOTTOM VIEW


1/4 Balsa T.E.

THROTTLE SERVO

ELEVATOR SERVO

RUDDER SERVO

RX



2.5" TRU-TURN SPINNER  
STANDARD OR FAI

FIBERGLASS ARROW SHAFT

1/2" Balsa TAIL POST

Balsa  
RUDDER

3/8 BIRCH DOWEL

1/8" Balsa CAP

CONTROL SURFACE		TRAVEL	
UP	DW	UP	DW
AILERON 10°	8"	6"	5.5°
ELEVATOR 7°	6"	5"	4.5°
RUDDER 30°±			

LA-1

WINGSPAN - 66.5 INCHES  
ENGINE - 60 RE 2 CYCLE  
WING AREA - 792 SQ. INCHES  
OAL - 63.5 INCHES  
WEIGHT - 8.5-9 LBS.  
BALLISTIC AIRCRAFT CO., LLC  
WENTZVILLE, MO USA